

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: Tannin Spot Remover

Article number: 6602

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Surface cleanser

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf
Germany

Further information obtainable from:

Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

Emergency telephone number:

Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111
IE: National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)
emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English

Importer

Importer for UK:
OSMO UK,
Smeaton Close
Unit 24 Anglo Business Park
Aylesbury, Bucks HP19 8UP
Phone: 01296 481 220, www.osmouk.com
United Kingdom

2 Hazards identification

Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 1)

Label elements**Hazard pictograms**

GHS05

Signal word

Danger

Hazard-determining**components of labelling:**

oxalic acid

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Other hazards

Protect metals (e.g. fittings) and plants from direct contact (e.g. cover useful and ornamental plants with painters' foil).

Observe the general safety regulations when handling chemicals.

Results of PBT and vPvB assessment
PBT: Not applicable

vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterisation: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 2)

Dangerous components:		
CAS: 6153-56-6 EINECS: 205-634-3 Index number: 607-006-00-8 Reg.nr.: 01-2119534576	oxalic acid Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312	<5%
CAS: 55965-84-9 EINECS: 220-239-6	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6% Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025–<0.0015%

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information:	Immediately remove any clothing soiled by the product.
After inhalation:	In case of unconsciousness place patient stably in side position for transportation.
After skin contact:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:	Drink plenty of water and provide fresh air. Call for a doctor immediately.
Information for doctor:	
Most important symptoms and effects, both acute and delayed	No further relevant information available.
Indication of any immediate medical attention and special treatment needed	No further relevant information available.

(Contd. on page 4)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 3)

5 Firefighting measures

Extinguishing media
Suitable extinguishing
agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable
extinguishing agents: Water with full jet

Special hazards arising from
the substance or mixture No further relevant information available.

Advice for firefighters
Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions,
protective equipment and
emergency procedures

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Environmental precautions: Dilute with plenty of water.

Methods and material for
containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:
Precautions for safe handling When diluting always pour product into water and not vice versa.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

General protective and
hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 4)

Information about fire - and explosion protection:

No special measures required.

Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.
 Unsuitable material for receptacle: steel.
 Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from oxidising agents.
 Store away from reducing agents.

Further information about storage conditions:

Protect from frost.
 Keep container tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.

Storage class:

12

Specific end use(s)

No further relevant information available.

8 Exposure controls/personal protection

Control parameters
Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	DNEL Verbraucher (Langzeit - systemische Effekte)	0.09 mg/kgKG/Tag
	DNEL Verbraucher (AKUT - systemische Effekte)	0.11 mg/kgKG/Tag
Inhalative	DNEL Arbeitnehmer (Langzeit - lokale Effekte)	0.02 mg/m ³
	DNEL Verbraucher (Langzeit - lokale Effekte)	0.02 mg/m ³

PNECs

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

PNEC sea water	0.00339 mg/l
PNEC fresh water	0.0039 mg/l
PNEC sediment (fresh water)	0.027 mg/kg
PNEC sediment (sea water)	0.027 mg/kg
PNEC soil	0.01 mg/kg

(Contd. on page 6)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 5)

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not eat or drink while working.
 Do not carry product impregnated cleaning cloths in trouser pockets.
 Do not eat, drink, smoke or sniff while working.
 Keep away from foodstuffs, beverages and feed.
 Avoid contact with the eyes and skin.
 Immediately remove all soiled and contaminated clothing

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Not necessary if room is well-ventilated.
 Check protective gloves prior to each use for their proper condition.
 Preventive skin protection by use of skin-protecting agents is recommended.
 Protective gloves
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR
 Recommended thickness of the material: ≥ 0.4 mm
 For the mixture the penetration time has to be at least 480 minutes
 (Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye protection:

Tightly sealed goggles

Body protection:

Acid resistant protective clothing

(Contd. on page 7)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

Protective work clothing

(Contd. of page 6)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Light
Odour:	Mild
Odour threshold:	Not determined

pH-value at 20 °C: 1-2

Change in condition

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	≥100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)

Flash point: Not applicable

Flammability Not applicable

Decomposition temperature: Not determined

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)

Density at 20 °C: 1.005–1.034 g/cm³ (DIN 51757)

Relative density Not determined

Evaporation rate Not determined

Solubility in / Miscibility with water:

Fully miscible.

Partition coefficient: n-octanol/water: Not determined

Viscosity:

Dynamic at 20 °C: 120–160 mPas

Solvent content:

VOC (EC) 0.0 g/l

(Contd. on page 8)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 7)

VOCV (CH)	0.00 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	10,714 mg/kg (rat)
Dermal	LD50	31,429 mg/kg

CAS: 6153-56-6 oxalic acid

Oral	LD50	375 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rat)

CAS: 52-51-7 bronopol (INN)

Oral	LD50	305 mg/kg (rat)
Dermal	LD50	1,600 mg/kg (rat)
Inhalative	LC50 / 4h	>0.12 mg/l (rat)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	64 mg/kg (rat)
Dermal	LD50	78 mg/kg (rabbit)
Inhalative	LC50 / 4h	0.05 mg/l (ATE)
	ATE-Wert (Dampf)	1 mg/l

(Contd. on page 9)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 8)

Primary irritant effect:**CAS: 6153-56-6 oxalic acid**

Irritation of skin | Schleimhautreizung |

Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.**CAS: 6153-56-6 oxalic acid**

Dermal | Skin irritation |

Serious eye damage/irritation Strong caustic effect.**CAS: 6153-56-6 oxalic acid**

Eye irritation |

Respiratory or skin sensitisation**CAS: 6153-56-6 oxalic acid**

Inhalative | sensitization |

Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity**Aquatic toxicity:****CAS: 6153-56-6 oxalic acid**

EC50 / 48h | 162.2 mg/l (Daphnia magna)

LC50 / 96h | 160 mg/l (fish)

CAS: 52-51-7 bronopol (INN)

EC50 / 48h | 1.04 mg/l (Daphnia magna)

IC50 / 72h | 0.4–2.8 mg/l (algae)

LC50 / 96h (Dynamic) | 3 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 / 48h | 0.16 mg/l (Daphnia magna)

LC50 / 96h | 0.19 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

biodegradability | >60 %

Persistence and degradability No further relevant information available.**Behaviour in environmental systems:****Bioaccumulative potential****CAS: 52-51-7 bronopol (INN)**

log POW | 0.18

(Contd. on page 10)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 9)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

log POW ≤0.71–0.75

Mobility in soil

No further relevant information available.

Ecotoxicological effects:**Behaviour in sewage processing plants:****CAS: 52-51-7 bronopol (INN)**

EC50 >50 mg/l (Bakterientoxizität)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 7.9 mg/l (activated sludge organism)

Additional ecological information:**General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment**PBT:** Not applicable**vPvB:** Not applicable**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

14 Transport information

UN-Number

ADR, IMDG, IATA

Not applicable

(Contd. on page 11)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 10)

UN proper shipping name ADR, IMDG, IATA	Not applicable
Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Not applicable
Packing group ADR, IMDG, IATA	Not applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act

Regulated explosives precursors		
None of the ingredients is listed.		
Regulated poisons		
None of the ingredients is listed.		
Reportable explosives precursors		
CAS: 7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	Listed
Reportable poisons		
None of the ingredients is listed.		

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word

Danger

Hazard-determining components of labelling:

oxalic acid

Hazard statements

H318 Causes serious eye damage.

(Contd. on page 12)

Safety data sheet

according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 11)

Precautionary statements	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P280	Wear eye protection / face protection.
	P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.

Chemical safety assessment**Named dangerous**
substances - ANNEX I None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H312	Harmful in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H330	Fatal if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (UK REACH)
 PNEC: Predicted No-Effect Concentration (UK REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 13)

Safety data sheet
according to UK REACH

Printing date 10.03.2026

Version number 2.1

Revision: 10.03.2026

Trade name: Tannin Spot Remover

(Contd. of page 12)

ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
ECHA Portal

Sources

*** Data compared to the
previous version altered.**

GB