

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

1 Identification of the substance/mixture and of the company/undertaking

Product identifier**Trade name:** One Coat Only HS Plus**Article number:** 9203-9271
& mixed colours**Relevant identified uses of
the substance or mixture and
uses advised against**

No further relevant information available.

**Application of the substance
/ the mixture**Paint
Coating compound/ Surface coating/ paint**Details of the supplier of the safety data sheet****Manufacturer/Supplier:** Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf
Germany**Further information
obtainable from:**Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de**Emergency telephone
number:**emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in
German and English
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111
IE: National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to
10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)**Importer**Importer for UK:
OSMO UK,
Smeaton Close
Unit 24 Anglo Business Park
Aylesbury, Bucks HP19 8UP
Phone: 01296 481 220, www.osmouk.com
United Kingdom

2 Hazards identification

**Classification of the
substance or mixture**The product is not classified, according to the Globally Harmonised System
(GHS).**Additional information:**

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 1)

Label elements**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**Precautionary statements** P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P271 Use only outdoors or in a well-ventilated area.

Additional information: EUH210 Safety data sheet available on request.**Other hazards** Warning: Materials impregnated with liquid product, such as cloths, may self-ignite. After use, let the materials to dry completely either spread out flat or in a closed metal container and then dispose of them properly.

Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

Results of PBT and vPvB assessment**PBT:** Not applicable**vPvB:** Not applicable

3 Composition/information on ingredients

Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 64742-48-9	aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics,	10–25%
EC number: 918-481-9	aromatics < 2 %	
Reg.nr.: 01-2119457273-39	Asp. Tox. 1, H304	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures**General information:** Take affected persons out into the fresh air.**After inhalation:** Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** Rinse mouth.

If swallowed, seek medical advice immediately and show this container or label.

(Contd. on page 3)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 2)

Information for doctor:
**Most important symptoms
and effects, both acute and
delayed**

Do NOT induce vomiting.

Dizziness

**Indication of any immediate
medical attention and special
treatment needed**

If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

Extinguishing media
**Suitable extinguishing
agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
**For safety reasons unsuitable
extinguishing agents:**

Water with full jet

**Special hazards arising from
the substance or mixture**

 Formation of toxic gases is possible during heating or in case of fire.
 Carbon monoxide (CO)
 carbon dioxide (CO₂)
Advice for firefighters
Protective equipment:

 Mouth respiratory protective device.
 Do not inhale explosion gases or combustion gases.
 Wear self-contained respiratory protective device.
 General measures for chemical fires.
Additional information
 Dispose of fire debris and contaminated fire fighting water in accordance with
 official regulations.
 Cool endangered receptacles with water spray.

6 Accidental release measures

**Personal precautions,
protective equipment and
emergency procedures**

 Ensure adequate ventilation
 Wear protective clothing.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Methods and material for
containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

 Dispose of the material collected according to regulations.
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 3)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Handling:** Even a small sip can lead to life-threatening damage to the lungs. Keep rags filled with this liquid out of the reach of children.
- Precautions for safe handling** Use only in well ventilated areas.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- General protective and hygienic measures:** Wash hands before breaks and at the end of work.
Do not eat, drink, smoke or sniff while working.
Do not carry product impregnated cleaning cloths in trouser pockets.
- Information about fire - and explosion protection:** Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities**
- Storage:**
- Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- Information about storage in one common storage facility:** Not required
- Further information about storage conditions:** Store receptacle in a well ventilated area.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- Control parameters**
- Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information:** The lists valid during the making were used as basis.
- Exposure controls**
- Personal protective equipment:**
- General protective and hygienic measures:** Immediately remove all soiled and contaminated clothing
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 4)

Respiratory protection:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

See Section 7 for information on safe handling.

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Half mask with round thread connection EN 148-1 (screw-on filter) and combination filter A1 - P2 according to German DIN EN 14387.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Protection of hands:

To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye protection:

Tightly sealed goggles

Body protection:

Protective work clothing

(Contd. on page 6)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 5)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Different according to colouring
Odour:	Mild
Odour threshold:	Not determined

pH-value: Mixture is non-polar/aprotic.

Change in condition

Melting point/freezing point:	Undetermined
Initial boiling point and boiling range:	> 180 °C (DIN 51751)

Flash point: > 61 °C (DIN EN ISO 2719)

Flammability Not applicable

Auto-ignition temperature: 240 °C

Decomposition temperature: Not determined

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	0.7 Vol %
Upper:	6.0 Vol %

Vapour pressure at 20 °C:
3 hPa
3 hPa [20°C]

Density at 20 °C: 0.95-1.2 g/cm³ (DIN 51757)

Relative density Not determined

Evaporation rate Not determined

Solubility in / Miscibility with water:

Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined

Viscosity:

Dynamic: Not determined

Solvent content:

VOC (EC) <400 g/l

(Contd. on page 7)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 6)

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide and carbon dioxide Nitrogen oxides (NO _x)
Additional information:	Warning: Materials impregnated with liquid product, such as cloths, may self-ignite. After use, let the materials to dry completely either spread out flat or in a closed metal container and then dispose of them properly.

11 Toxicological information

Information on toxicological effects**Acute toxicity****LD/LC50 values relevant for classification:****CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation No irritant effect.
Based on available data, the classification criteria are not met.

Serious eye damage/irritation No irritating effect.
Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Sensitising effect by skin contact is possible by prolonged exposure.

Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 7)

Additional toxicological information:

The product can cause inheritable damage.

12 Ecological information

Toxicity
Aquatic toxicity:
CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h >1,000 mg/l (algae)

LC50 / 96h >1,000 mg/l (fish)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:
Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:
General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Results of PBT and vPvB assessment
PBT: Not applicable

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packaging:
Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agents:

Solvent naphtha

Osmo Brush Cleaner and Thinner

14 Transport information

UN-Number

ADR, ADN, IMDG, IATA

Not applicable

(Contd. on page 9)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 8)

UN proper shipping name ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Not applicable
Packing group ADR, IMDG, IATA	Not applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act

Regulated explosives precursors
None of the ingredients is listed.
Regulated poisons
None of the ingredients is listed.
Reportable explosives precursors
None of the ingredients is listed.
Reportable poisons
None of the ingredients is listed.

GHS label elements	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Precautionary statements	P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

Chemical safety assessment

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet

according to UK REACH

Printing date 20.02.2026

Version number 19.1

Revision: 20.02.2026

Trade name: One Coat Only HS Plus

(Contd. of page 9)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H304 May be fatal if swallowed and enters airways.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS : European chemical Substances Information System

ECHA Portal

Safety data sheets from raw material suppliers

*** Data compared to the previous version altered.**

Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No: 1907/2006 (UK REACH)